

ego

boost n' drive





## Congratulations

on your purchase of **Ego Drive** overdrive, a warm, tubey-sounding overdrive that doubles as a boost pedal.

**Ego Drive** was designed to give you the overdrive edge that only the highest-end amps can produce – and then let you kick it into turbo with a unique boost function. Additional controls let you fine-tune your tone to create your own signature sound.

Ready to get started?

## Ego Drive Controls

Your **Ego Drive** comes with 4 control knobs, plus a button and knob for controlling the boost function.

The **GAIN** knob is the most important control on your **Ego Drive**. The more you turn it up, the more overdrive you get.

The **BLEND** knob lets you control the mix of your overdrive signal and the clean signal from your amplifier.

The **TONE** control knob lets you tune your overdrive sound by adding or backing off on the top end or “edge” of your sound.

The **VOLUME** knob is used to set the overall output volume from your **Ego Drive**. At 12 o'clock your output is the same as your input volume.

The **BOOST** button in the middle of your Ego Drive lets you instantly increase the volume of your overdrive sound for solos and single-note lines. Use the **BOOST** knob to set the amount of boost you get when you hit the **BOOST** button. It boosts up to 20dB independently of the overdrive section.

# Technical Specification

Input Impedance @ 1KHz	Higher than 1M Ohm
Output Impedance @ 1KHZ	Lower than 1K Ohm
Power supply	9V DC (T-Rex FuelTank)
Minimum Power supply Voltage	8V DC
Maximum Power supply Voltage	12,5V DC
Current Draw @ 9V DC	50 mA
Maximum Input signal Vp/p	3Vp/p
Battery Type	9 V battery 6F22
Battery Life	6 - 9 hours
External connectors	Input Jack, Output Jack, 9V DC Jack
Controls	On/Off, Boost switch, Volume, Gain, Blend, Tone, Boost
Pedal size incl. knobs (W x H x D)	100 x 55 x 120 mm 3,9 x 2,2 x 4,7 inch
Weight excl. battery and packaging	0,335 kg / 11,8 oz

## T-REX WARRANTY CONDITIONS

T-Rex offers a 2-year warranty on all our products. In the unlikely event of a malfunction, please contact our technical support at [service@t-rex-effects.com](mailto:service@t-rex-effects.com) before sending us the product for repair. Read more about warranty conditions at [www.t-rex-effects.com/service](http://www.t-rex-effects.com/service)

## ABOUT T-REX

Based in Vejle, Denmark, T-Rex Engineering makes classic and signature effects pedals for the world's best musicians. Our approach blends hi-tech innovation with old-world craftsmanship – always in the service of killer tone.

## EU REGULATIONS • ENVIRONMENT PROTECTION

T-Rex accepts and follows the regulations and directives issued by the EU. We find these environment protecting regulations very good, and we are happy to follow them.



*Lars D. Jørgensen*

*Sebastian Jensen*



Lars Dahl-Jørgensen  
& Sebastian Jensen  
Founder & Owner

T-Rex Engineering ApS



[www.t-rex-effects.com](http://www.t-rex-effects.com)

Made by T-Rex Denmark 2014